

SERCA2 (pSer38) pAb serum

Quality Control Certificate of Analysis

Catalogue No.: A010-25AP

Unit Size: 50 µl

Lot No: 0611-02

Background: SERCA2 belongs to the P-type family of ATPases (Xu *et al.*, 1993; Toyofuku *et al.*, 1994; Hawkins *et al.*, 1994; Osada *et al.*, 1998; Netticadan *et al.*, 1999; Netticadan *et al.*, 2000). Controversy still surrounds the phosphorylation status of Ser-38 and its physiological implication. Some groups have reported that Ser-38 of SERCA2 is phosphorylated by CaMKII, which apparently leads to a substantial increase in ATPase activity (Xu *et al.*, 1993; Hawkins *et al.*, 1994). However, the control of Ca²⁺ pump function by direct phosphorylation has not been observed by all investigators (Odermatt *et al.*, 1996; Reddy *et al.*, 1996; Rodriguez *et al.*, 2004). Independent attempts to confirm SERCA2 phosphorylation at Ser-38 have failed to confirm the stimulation of Ca²⁺ pump function upon treatment with CaMKII, which suggests that Ser-38 phosphorylation of SERCA2 is not a significant regulatory feature of cardiac Ca²⁺ homeostasis. This antibody, described by Rodriguez *et al.* (2004), may help to resolve the controversy, as it recognises the Ser-38 phospho-epitope

Description: Lyophilised **Rabbit** polyclonal affinity purified antibody (A010-25AP) containing IgG antibody specific for Ser-38 phosphorylated forms of SERCA2 (Rodriguez *et al.*, 2004)

Immunogen: Synthetic peptide (K₃₁LKERWGS(PO₃H₂)NEL₄₁) corresponding to amino acids surrounding the phosphorylated serine residue at position 38 of SERCA2, conjugated to KLH.

Antibody Isotype: IgG.

Antibody Purity: Protein A Affinity Purified

Specificity: The antibody recognises the Phospho Ser-38 epitope within a peptide, which is part of a positive control protein since Ser-38 has yet to be shown to be phosphorylated in canine cardiac SR samples (Rodriguez *et al.*, 2004)


Species Cross Reactivity: Epitope sequence exists in SERCA2 from all mammalian species

Vial Constituents: Lyophilised A010-25AP purified antibody (50 µl) in 0.1M Tris-citrate pH 7.4 with 20%v/v stabiliser solution.

Storage Instructions: Lyophilised antibody is stable at 4°C when stored with desiccant. Reconstitute lyophilised powder in 50 µl of 18 MΩ H₂O, aliquot and store frozen at -80°C for 1 year. Avoid freeze - thaw cycles.

Tested Applications: WB 1:1000, ELISA

	30	PO ₃ H ₂ Specific	40
Epitope	K L K E R W G S N E L		
Human	K L K E R W G S N E L		
Mouse	K L K E R W G S N E L		
Rat	K L K E R W G S N E L		
Rabbit	K L K E R W G S N E L		
Dog	K L K E R W G S N E L		
Cow	K L K E R W G S N E L		
Chick	K L K E K W G S N E L		



A010-25AP (1:1000)
1 µl in 1 ml of Tris buffer + 5% milk powder 16 hours at 4°C

Secondary antibody = Goat anti Rabbit HRP
Chemiluminescent detection

Lane 1: 20 pmol of I27s
Lane 2: 1.25 pmol of I27s conjugated to P010-25 phospho peptide
Lane 3: 0.625 pmol of I27s conjugated to P010-25 phospho peptide
Lane 4: 0.3125 pmol of I27s conjugated to P010-25 phospho peptide

WB using 1:1000 SERCA2 Phospho Ser-38 Ab (A010-25AP)
against SERCA2 Phospho Peptide conjugated to I27(s) and I27(s) alone.
10% SDS-PAGE gel. PVDF membrane

Related Products: SERCA2 Phospho Ser-38 epitope peptide (P010-25). SERCA2 Phospho Ser-38 positive control (C010-25). SERCA2a Antibody (A010-20), SERCA1 Y/IF4 Antibody (A010-21AP), SERCA1 B/4H3 Antibody (A-10-21AP)

Background References:

- Hawkins, C., Xu, A., and Narayanan, N. (1994): *J Biol Chem* **269**, 31198-206.
- Netticadan, T., Tamsah, R., Osada, M., and Dhalla, N. S. (1999): *Am J Physiol* **277**, C384-91.
- Netticadan, T., Tamsah, R. M., Kawabata, K., and Dhalla, N. S. (2000): *Circ Res* **86**, 596-605.
- Odermatt, A., Kurzydowski, K., and MacLennan, D. H. (1996):
- Osada, M., Netticadan, T., Tamura, K., and Dhalla, N. S. (1998): *Am J Physiol* **274**, H2025-34.
- Reddy, L. G., Jones, L. R., Pace, R. C., and Stokes, D. L. (1996): *J Biol Chem* **271**, 14964-70.
- Rodriguez, P., Jackson, W. A., and Colyer, J. (2004): *J Biol Chem* **279**, 17111-9.
- Toyofuku, T., Curotto Kurzydowski, K., Narayanan, N., and MacLennan, D. H. (1994): *J Biol Chem* **269**, 26492-6.
- Xu, A., Hawkins, C., and Narayanan, N. (1993): *J Biol Chem* **268**, 8394-7. *J Biol Chem* **271**, 14206-13.
- Colyer, J., & Wang J.H. (1991) *J. Biol. Chem.* **266**, 17486-17493